

INDEX MAPS.

T. 6 N, R. 3 E. 2nd Mer.

	259	259	258	258	257	257						
261	6	279	5	276	4	272	3	268	2	264	1	257
	280	279		275		272		268		264		
261	7	279	8	275	9	271	10	268	11	264	12	256
	280	278		275		271		267		264		
260	18	278	17	274	16	271	15	267	14	263	13	256
	281	278		274		270		267		263		
260	19	277	20	274	21	270	22	266	23	263	24	256
	281	277		273		270		266		262		
260	30	277	29	273	28	269	27	265	26	262	25	255
	281	276		273		269		265		262		
259	31	276	32	272	33	269	34	265	35	261	36	255
	253-254	253-254	253-254	253-254	253-254	253-254		253-254		253-254		

T. 7 N, R. 3 E. 2nd Mer.

	287		288		288		288-289		289		289-290	
292	6	310	5	306	4	303	3	299	2	296	1	287
	310		309		306		303		299		295	
291	7	309	8	306	9	302	10	299	11	295	12	286
	310		309		305		302		299		294	
291	18	309	17	305	16	302	15	298	14	294	13	286
	311		308		305		301		298		294	
291	19	308	20	305	21	301	22	297	23	293	24	286
	311		308		304		301		297		293	
290	30	307	29	304	28	300	27	297	26	295	25	285
	311		307		304		300		297		292	
290	31	307	32	303	33	300	34	296	35	292	36	285
	284		284		284		283		283		283	

The figures on the lines refer to the page.

Township N. 6 North, Range N. 3 E. T. Mer. Indiana

South Boundary

Nest On Rand^m S. boundary of Sec. 36, T. 6 N. R. 3 E.

33.00 a Brook 10 lks. wide C. S.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Mile post. Land level

Nest On Rand^m S. boundary Sec. 35, T. 6 N. R. 3 E.

9.60 a Brook 8 lks. wide Course S.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Mile post. This mile over
very hilly thin Soil, timber Oak & Hickory

Nest On Rand^m S. bound^y. of Sec. 34, T. 6 N. R. 3 E.

40.00 Set temp^y. q^r. Sec. post

74.60 a Brook 12 lks. wide Course S.

80.00 Set temp^y. Mile post good farming land
timber Beech & Sugar

Nest On Rand^m S. boundary of Sec. 33, T. 6 N. R. 3 E.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Mile post

Land &c. Same

Nest On Rand^m S. boundary of Sec 32, T. 6 N. R. 3 E.

34.00 a Brook 20 lks. wide Course S.

40.00 Set temp^y. q^r. Sec. post

50.28 a Brook 10 lks. wide South

80.00 Set temp^y. Mile post. Land the same

Nest On Rand^m S. boundary of Sec. 31, T. 6 N. R. 3 E.

40.00 Set temp^y. q^r. Sec. post

72.00 Intersected the N of S. line 78 lks. N. of the
Town Corner. Land the same

T6N R3E 2nd Mer. Indiana

var. 6:30'E

East On true line S. boundary of Sec. 31, T6N. R3E.
 32.00 Let the q. Sec. post on true line, from which
 a W. Oak 14 m. dia. bran N61 E 4 lks. dist. of
 a Beech 10 " " " N45 W 11 " "
 72.00 Let a post Cor. to Sec. 31 & 32, from which
 a Beech 24 m. dia. bran S84 E 10 lks. dist. of
 a Do 10 " " " S76 W 18 " "

East On true line S. boundy. of Sec 32, T6N. R3E.
 40.00 at Beech 20 m. dia. Marked for q. Sec. Corner
 80.00 Let a post Cor. to Sec. 32 & 33, from which
 at Beech 10 m. dia. bran N57 W 12 lks. dist. of
 a Poplar 12 " " " S13 E 19 " "

East On true line S. boundy. of Sec. 33, T6N. R3E.
 40.00 Let the q. Sec post on true line, from which
 a Hickory 8 m. dia. bran N42 W 10 lks. dist. of
 at Beech 8 " " " N71 E 26 " "
 80.00 Let a post Cor. to Sec. 33 & 34, from which
 a W. Oak 18 m. dia. bran N70 E 6 lks. dist. of
 a Sugar 18 " " " S60 E 38 " "

East On true line S. boundary of Sec. 34, T6N. R3E.
 40.00 Let the q. Sec. post, on true line, from which
 a Beech 8 m. dia. bran S18 W 25 lks. dist. of
 a Dogw. 6 " " " S86 W 20 " "
 80.00 Let a post Cor. to Sec. 34 & 35, from which
 a Beech 10 m. dia. bran S36 E 2 lks. dist. of
 a Do 6 " " " N59 W 11 " "

East On true line S. boundary of Sec. 35, T6N. R3E.
 40.00 Let the q. Sec. post on true line, from which
 a W. Oak 18 m. dia. bran N67 E 10 lks. dist. of

T6N R3E 2^d Mer. Indiana

a P. Oak 18 in. dia. brang N45 E 15 lks. dist. of
 80.00 Set a post Cor. to Sec. 35 & 36, from which
 a P. Oak 10 in. dia. brang N61 E 12 lks. dist. of
 a Do 8 " " " N46 E 6 " "

East On true line S. boundary of Sec. 36, T6N. R3E
 40.00 Set the q. Sec. post on true line, from which
 a W. Oak 20 in. dia. brang N73 E 36 lks. dist. of
 a Beech 18 " " " N83 W 10 " "
 80.00 to the Town Corner.

East Boundary var. 6° 30'
 North On E. boundary of Sec. 36, T6N. R3E.
 7.60 a W. Oak 30 in. dia. ...
 40.00 Set the q. Sec. post, from which
 a W. Oak 12 in. dia. brang S50 E 22 lks. dist. of
 a P. Oak 10 " " " S80 E 21 " "
 80.00 Set a post Cor. to Sec. 25 & 36, from which
 a W. Oak 20 in. dia. brang S48 E 19 lks. dist. of
 a Do 20 " " " N44 W 36 " "
 Over Rolling Oak & Hickory timbered land.

North On East Boundry of Sec. 25, T6N. R3E.
 40.00 Set the q. Sec. post, from which
 a Gum 6 in. dia. brang N86 E 10 lks. dist. of
 a P. Oak 6 " " " S86 E 15 " "
 46.00 a Brook 12 lks. wide Course East
 80.00 Set a post Cor. to Sec. 24 & 25, from which
 an Elm 10 in. dia. brang S88 W 4 lks. dist. of
 a P. Oak 9 " " " N14 W 3 " "
 This post stands on the bank of a brook 10
 lks. wide C. & E. Land the same

T6 N. R3 E. 2^d Mer. Indiana

North On E. boundary of Sec. 24, T6 N. R3 E.
 40.00 Set the g^r. Sec. post, from which
 a W. Oak 10 in. dia^r. bear N50°W 27 lbs. dist. of
 a Do 12 " " " N58°W 46 " "
 48.50 a Brook 12 lbs. wide Course N.E.
 80.00 Set a post Cor. to Sec. 13 & 24, from which
 a W. Oak 8 in. dia^r. bear S38°E 20 lbs. dist. of
 a W. Oak 15 " " " N67°W 41 " "
 This mile over very thin hilly land

North On E. boundary of Sec. 13, T6 N. R3 E.
 10.30 a W. Oak 20 in. dia^r.
 24.50 a Brook 18 lbs. wide Course W.
 29.00 a Do 75 " " " W.
 40.00 Set the g^r. Sec. post, from which
 a Beech 30 in. dia^r. bear S35°W 31 lbs. dist. of
 a Hackberry 24 " " " N35°E 29 " "
 80.00 Set a post Cor. to Sec. 12 & 13, from which
 a W. Ash 8 in. dia^r. bear N30°W 8 lbs. dist. of
 a Gum 8 " " " N59°E 15 " "
 Land first timber Beech, Oak & Hickory

North On E. boundary of Sec. 12, T6 N. R3 E.
 23.00 a Brook 30 lbs. wide Course E.
 35.00 Same 30 " " " S.W.
 40.00 Set the g^r. Sec. post, from which
 a Beech 20 in. dia^r. bear S40°W 21 lbs. dist. of
 an Elm 20 " " " N85°E 46 " "
 43.50 Same brook course S.E.
 79.00 Same " " S.W.
 80.00 Set a post Cor. to Sec. 11 & 12, from which
 a Beech 20 in. dia^r. bear S88°W 18 lbs. dist. of
 an Ironwood 6 " " " S60°W 11 " "

T6 N. R3 E. 2^d. Mer. Indiana

Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, T6 N. R3 E.
 40.00 a Beech 10 in. dia. Marked for q^r. Sec. Corner
 80.00 Set temp^y. post at the exact distance of 6 miles
 from the South boundary. (Continued by A. Holmes)
 0.50 a Creek 50 lbs. wide Course S. E. }
 27.50 a Do 3 " " " West } level beach land
 40.00 a Beech 12 in. dia. q^r. Corner
 60.00 a Brook 3 lbs. wide Course W.
 65.00 a Do 3 " " " W. (level beach land)
 80.00 Set a post Cor. to Town 6 & 7 North, Range 3 &
 4 East, from which
 a Hickory 16 in. dia. bears S 67 W 19 lbs. dist.
 a Do 16 " " " S 16 W 27 " "
 March 24th 1841

North Boundary var. 6° 30' E.
 West On S. boundary of Sec. 36, T7 N. R3 E.
 10.00 a Brook 3 lbs. wide Course South
 17.80 a Poplar 36 in. dia.
 31.00 a Creek 50 lbs. wide Cr. S.
 35.00 looped brook
 40.00 Set the q^r. Sec. post, from which
 a Beech 18 in. dia. bears N 65 E 26 lbs. dist.
 a Do 18 " " " S 86 W 30 " "
 80.00 Set a post Cor. to Sec. 35 & 36, T7 N. R3 E. from which
 a W. Oak 16 in. dia. bears S 30 E 12 lbs. dist.
 a Do 12 " " " S 83 W 47 " "
 Shilly poor land, timber Beech, Oak &c.

West On S. boundary of Sec. 35, T7 N. R3 E.
 5.50 a Brook 5 lbs. wide Cr. South

T^hN R3E. T^h Mer. Indiana

- 37.00 a Brook 5 lks. wide C.S. S.E.
 40.00 At the q. Sec. post, from which
 a Gum 30 in. dia. bear S42°W 11 lks. dist. of
 a Beech 8 " " " N89°E 29 " "
 80.00 At a post Cor. to Sec. 34 & 35, T^hN. R3E, from which
 a W. Oak 12 in. dia. bear S40°W 17 lks. dist. of
 a Gum 16 " " " N35°E 28 " "
 Shilly stony & poor, timber Oak, Chestnut &c

- West On S. boundary of Sec. 34, T^hN. R3E.
 26.00 a Brook 3 lks. wide Course S.
 40.00 At the q. Sec. post, from which
 a Chestnut Oak 14 in. dia. bear S30°W 9 lks. dist. of
 a Do 12 " " " S64°E 8 " "
 49.00 a Brook 4 lks. wide Course S.
 50.00 a W. Oak 16 in. dia.
 72.00 a Brook 3 lks. wide Course S.
 80.00 At a post Cor. to Sec. 33 & 34, T^hN. R3E, from which
 a P. Oak 24 in. dia. bear N61°E 30 lks. dist. of
 a W. Oak 8 " " " S87°W 24 " "
 Shilly stony poor land, timber Oak, Chestnut &c

- West On S. boundary of Sec. 33, T^hN. R3E.
 30.00 a Brook 3 lks. wide Course S.
 35.00 a Do 3 " " " S.
 40.00 At the q. Sec. post, from which
 a W. Oak 14 in. dia. bear S42°E 4 lks. dist. of
 a Do 14 " " " N37°W 12 " "
 50.00 a Brook 3 lks. wide Course S.
 80.00 At a post Cor. to Sec. 32 & 33, T^hN. R3E, from which
 a Beech 18 in. dia. bear S65°E 53 lks. dist. of
 a Do 18 " " " N80°W 45 " "
 Land timber &c. Same as on the last mile

T6N R3E 2nd Mer. Indiana

- West On S. boundary of Sec. 32, T6N R3E.
 1.00 a Brook 4th. wide Course S.
 24.00 a Do 4 " " " S.
 28.00 a Do 3 " " " S.
 40.00 Let the q. Sec. post, from which
 a W. Oak 8 in. dia. bran N44 E 13th. dist. 8
 a Beech 8 " " " S85 W 16 " "
 65.00 a Brook 5th. wide Course E.
 80.00 Let a post Cor. to Sec. 31 & 32, T6N R3E, from which
 a Maple 18 in. dia. bran N53 W 7th. dist. 8
 a B. Oak 8 " " " S57 E 13 " "
 E. 1/2 mile hilly Stony Oak land - W 1/2 mile
 level Beech land

-
- West On S. boundary of Sec. 31, T6N R3E.
 18.00 a Creek 100th. wide Cr. N.
 40.00 Let the q. Sec. post, from which
 a W. Oak 12 in. dia. bran N43 E 20th. dist. 8
 a Beech 12 " " " S60 W 12 " "
 60.00 a Brook 10th. wide North
 71.00 Intersected the N. boundary 600th. N. of Temp.
 post, Let a post Cor. to T6N R2 & 3E, from
 which a Beech 16 in. dia. bran N13 W 26th. dist. 8
 a W. Oak 16 " " " N53 W 51 " "
 Hilly Oak land variation 6° 15' E.

-
- West Boundary var. 7° 00' E
 North On E. boundary of Sec. 36, T6N R2E.
 9.20 a Beech 20 in dia.
 16.70 a Brook 10th. wide Cr. West
 40.00 Let the q. Sec. post, from which
 a Sugar 12 in. dia. bran N61 W 22th. dist. 8
 an Ironw. " " " N71 E 21 " "

T6 N. R3 E. 2. Mer. Indiana

69.30 a Sugar 20 in. dia.
 76.00 a Brook 8 lks. wide Course N.
 80.00 Set a post Cor. to Sec. 25 & 36, T6 N. R2 E. from
 which a Beech 15 in. dia. bear S 11 W 32 lks. dist. of
 a Do 15 " " " N 24 W 12 lks. dist.
 Land rolling, timber, Beech, Sugar & Poplar

North On E. boundary of Sec. 25, T6 N. R2 E.
 30.50 a Brook 12 lks. wide Cr. N.
 40.00 Set the gr. Sec. post, from which
 a Beech 10 in. dia. bear S 58 E. 13 lks. dist. of
 a Dogw. 5 " " " S 66 W 20 " "
 80.00 Set a post Cor. to Sec. 24 & 25, T6 N. R3 E. from which
 a Beech 15 in. dia. bear S 9 W 20 lks. dist. of
 a Do 15 " " " S 70 W 12 " "
 Good farming land, timber the same

North On E. boundary of Sec. 24, T6 N. R2 E.
 40.00 Set the gr. Sec. post, from which
 a Beech 12 in. dia. bear S 1 E 41 lks. dist. of
 a Dogw. 6 " " " S 58 W 13 " "
 80.00 Set a post Cor. to Sec. 13 & 24, T6 N. R2 E. from which
 a N. Ash 6 in. dia. bear N 28 W 2 lks. dist. of
 a Dogw. 6 " " " S 78 E 2 " "
 Land rolling, timber Oak & Hickory

North On E. boundary of Sec. 13, T6 N. R2 E.
 39.00 a Brook 10 lks. wide Cr. N. E.
 40.00 Set the gr. Sec. post, from which
 a Sugar 10 in. dia. bear N 25 W 48 lks. dist. of
 a Do 6 " " " N 63 E 32 " "
 80.00 Set a post Cor. to Sec. 12 & 13, T6 N. R2 E. from which
 a Gum 12 in. dia. bear S 9 E 32 lks. dist. of

T6 N. R3 E. 2^d. Mer. Indiana

a B. Oak 8 in. dia. beam N 97 W 54 lbs. dist.
This mile over very high hills, Soil thin, timber
Oak & Hickory

North On E. boundary of Sec. 12, T6 N. R2 E.

40.00 Set the q^r. Sec. post, from which

a B. Oak 6 in. dia. beam S 41 E 21 lbs. dist. &

a No 8 " " " N 23 E 10 " "

80.00 Set a post Cor. to Sec. 1 & 12, T6 N. R2 E. from which

a Sugar 12 in. dia. beam S 47 W 30 lbs. dist. &

a Beech 10 " " " N 66 E 11 " "

Land timber &c. the same as on the last mile

North On E. boundary of Sec. 1, T6 N. R2 E.

16.60 a Brook 18 in. wide Cr. S. E.

40.00 Set the q^r. Sec. post, from which

a Hickory 10 in. dia. beam S 1 E 39 lbs. dist.

80.00 Set temporary post at the exact distance of
6 Miles from the S. boundary. This mile over
very hilly and brushy land thin Soil

The above line was continued 6 chains north of the
Temp. post, which makes the whole length 86.00.

The South, East & West boundaries surveyed by
Arthur Henne, Dep. Sur

The N. boundary by Alexander Holmes, Dep. Sur. Corp.

Subdivision.

North Between Sec. 35 & 36, T6 N. R3 E.

40.00 Set the q^r. Sec. post, from which

a Poplar 18 in. dia. beam S 6 E 12 lbs. dist. &

a B. Oak 15 " " " S 25 W 17 " "

80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which

a B. Oak 10 in. dia. beam S 5 E 5 lbs. dist. &

T6 N. R3 E. 2. Mer. Indiana

a P. Oak 8 in. dia. bear S 78 W 4 lks. dist. of
this line over very high hills, thin Soil, timber
Oak Hickory &c.

East On Random between Sec. 25 & 36

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 28 lks. S. of Sec. Corner
Sand timber &c. same as on the last mile

West On true line between Sec. 25 & 36, T6 N. R3 E.

40.00 Set the q. Sec. post at average dist. from which
a W. Oak 12 in. dia. bear N 80 E 8 lks. dist. of
a W. Ash 12 " " " S 57 W 13 " "

80.00 to Section Corner.

North Between Sec. 25 & 26, T6 N. R3 E.

40.00 Set the q. Sec. post, from which

a W. Oak 20 in. dia. bear S 28 W 27 lks. dist. of

a P. Oak 10 " " " S 51 E 25 " "

80.00 Set a post cor. to Sec. 23, 24, 25 & 26, from which

a P. Oak 15 in. dia. bear N 53 E 54 lks. dist. of

a P. — 18 " " " N 58 W 71 " "

Sand the same but very brushy with Sassafras
Oak & Hickory &c.

East On Random between Sec. 24 & 25, T6 N. R3 E.

40.00 Set temp. q. Sec. post

80.20 Intersected the N & S. line 104 lks. S. of the post
Sand timber &c. same as on the last mile

West On true line between Sec. 24 & 25, T6 N. R3

40.10 Set the q. Sec. post at average dist. from which
a P. Oak 10 in. dia. bear N 18 E 16 lks. dist. of

T6N R3E. 2^d Mer. Indiana

a P. Oak 8 in. dia. bray S49 W 10 lks. dist. of
80.00 to Sec. Corner.

North Between Secs. 23 & 24, T6N R3E. 2^d Mer.

40.00 Let the q. Sec. post, from which

a P. Oak 10 in. dia. bray S62 W 15 lks. dist. of

a Do 10 " " " N60 W 24 " "

80.00 Let a post Cor. to Secs. 13, 14, 23 & 24, from which

a W. Oak - in. dia. bray N3 E 24 lks. dist. of

a P. Oak 8 " " " N62 W 10 " "

Land the same as on the last mile

East On Random between Secs. 13 & 24, T6N. R3E.

40.00 Let temp. q. Sec. post

80.40 Intersected the N & S. line 110 lks. S. of the post

Land &c. the same as on the last mile

West on true line between Secs. 13 & 24, T6N. R3E.

40.20 Let the q. Sec. post, at average dist. from which

a P. Oak 12 in. dia. bray N72 W 43 lks. dist. of

a W. Oak 12 " " " N3 W 24 " "

80.40 to Sec. Corner

North Between Secs. 13 & 14, T6N. R3E.

1.50 a W. Oak 20 in. dia.

38.00 a Brook 25 lks. wide Cr. M.

40.00 Let the q. Sec. post, from which

an Elm 10 in. dia. bray N38 E 9 lks. dist. of

a Do 10 " " " N18 W 12 " "

46.15 a Beech 20 " "

80.00 Let a post Cor. to Secs. 11, 12, 13 & 14, from which

a W. Ash 8 in. dia. bray S72 E 4 lks. dist. of

a Beech 10 " " " N72 W 12 " "

T6N R3E 2nd Mer. Indiana

Land level, timber, Beech, Poplar, Oak, Hickory.

East On Rand^m between Sec^s. 12 & 13, T6N. R3E.

44.00 a Brook 10 lks. wide Course South

40.00 Set temp^y. g^r. Sec. post

45.00 a Brook 12 lks. wide Course South

80.25 Intersected the E. boundary 100 lks. S. of the post.
Land timber &c. same as on the last mile

West On true line between Sec^s. 12 & 13, T6N. R3E

40.12 1/2 Set the g^r. Sec. post at average dist. from which
a Beech 12 in. dia. bray N 28 W 20 lks. dist. of

a Sugar 18 " " " N 68 E 24 " "

80.25 to Sec. Corner.

North Between Sec^s. 11 & 12, T6N. R3E.

40.00 Set the g^r. Sec. post, from which

a Dogwood 6 in. dia. bray N 69 W 4 lks. dist. of

a Poplar 10 " " " S 80 E 25 " "

50.00 a Brook 10 lks. wide Course S. E.

80.00 Set a post Cor. to Sec^s. 1, 2, 11 & 12, T6N. R3E.
from which a Beech 10 in. dia. bray S 84 W 24 lks. dist. of

a Ho 12 " " " N 28 E 17 " "

Land rolling, timber the same as last mile

East On Rand^m between Sec^s. 1 & 12, T6N. R3E.

2.00 a Brook 10 lks. wide Course S.

40.00 Set temp^y. g^r. Sec. post

80.60 Intersected the E. boundary 112 lks. S. of post.
Land timber &c. same as on the last mile

West On true line between Sec^s. 1 & 12, T6N. R3E.

40.30 Set the g^r. Sec. post at average dist. from which

T6N R3E 2^d. Mer. Indiana

at Beech 20 in. dia. bray N 25 E 23 lks. dist. of
 a Do 20 " " " S 25 W 25 " "
 80.60 to Section Corner.

North Between Sec. 1 & 2, T6N, R3E.

4.00 at Brook 6 lks. wide Course S. E.
 12.50 at W. Oak 10 in. dia.
 40.00 at the q. Sec. post, from which
 at Beech 12 in. dia. bray S 79 E 37 lks. dist. of
 a Sugar 20 " " " S 62 E 35 " "
 44.00 at Brook 12 lks. wide C. S. E.
 83.31 intersected the N. boundary 183 lks. N. of post.
 Set a post Cor. to Sec. 1 & 2, from which
 a Maple 10 in. dia. bray S 27 E 27 lks. dist. of
 a P. Oak 10 " " " S 86 W 12 " "
 Sand timber &c. Same. March 15th. 1814

North Between Sec. 34 & 35, T6N, R3E.

40.00 at the q. Sec. post, from which
 at Beech 10 in. dia. bray S 7 W 50 lks. dist. of
 a Do 10 " " " S 73 W 10 " "
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a W. Oak 12 in. dia. bray S 60 E 7 lks. dist. of
 a Poplar 20 " " " S 18 W 13 " "
 Sand, level timber, Beech, Ash, Oak & Hickory

East On Random between Sec. 26 & 35, T6N, R3E.

40.00 at temp. q. Sec. post
 80.35 intersected the N & S. line 40 lks. N. of post
 Sand very hilly thin Soil, timber Oak

West On true line between Sec. 26 & 35, T6N, R3E.
 40.17 1/2 at q. Sec. post at average dist. from which

T6 N. R3 E. 2^d. Mer. Indiana

a W. Oak 8 in. dia. bear S42E 30 lks. dist. of
a do 10 " " " S88E 42 " "

80.35 to Sec. Corner

North Between Secs. 26 & 27, T6 N. R3 E.

40.00 Set the q. Sec. post, from which

a Beech 20 in. dia. bear N4E 40 lks. dist. of

a Hickory 12 " " " N44E 19 " "

80.00 Set a post Cor. to Secs. 22, 23, 26 & 27, from which

a Poplar 12 in. dia. bear North 10 lks. dist. of

a W. Oak 10 " " " S40W 50 " "

Very hilly land, thin Soil

East On Rand^m between Secs. 23 & 26, T6 N. R3 E.

13.00 a Brook 10 lks. wide Cr. North

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S line 10 lks. N. of post

Land timber &c. same as on the last mile

West On true line between Secs. 23 & 26, T6 N. R3 E.

40.00 Set q. Sec. post at average dist. from which

a W. Oak 18 in. dia. bear S54E 3 lks. dist. of

a do 10 " " " S42W 26 " "

80.00 to Sec. Corner

North Between Secs. 22 & 23, T6 N. R3 E.

40.00 Set the q. Sec. post, from which

a W. Oak 20 in. dia. bear N54W 6 lks. dist. of

a Sugar 12 " " " N10E 31 " "

55.00 a Brook 12 lks. wide Cr. N.W.

69.75 a Poplar 18 in. dia.

80.00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which

a W. Oak 20 in. dia. bear S45W 20 lks. dist. of

T6 N. R3 E. 2^d Mer. Indiana

a Sugar 12 in. dia. bray N 87 W 23 lks. dist. of
Land rolling, timber, Beech, Oak & Hickory

East On Random betw. Sec. 14 & 23, T6 N. R3 E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N & S. line 12 lks. S. of Corner
Land timber &c. same as on the last mile

West On true line between Sec. 14 & 23, T6 N. R3 E.

40.00 Set the q. Sec. post at average dist. from which

a B. Oak 15 in. dia. bray S 31 E 8 lks. dist. of

a Do 18 " " " N 4 E 15 " "

80.00 to Sec. Corner

North Between Sec. 14 & 15, T6 N. R3 E.

40.00 Set the q. Sec. post, from which

a Beech 12 in. dia. bray N 53 W 22 lks. dist. of

a Do 12 " " " N 63 E 33 " "

60.00 a Creek 30 lks. wide Course N.W.

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which

a Beech 8 in. dia. bray N 4 W 24 lks. dist. of

a Sugar 10 " " " N 12 E 18 " "

This mile over very high hills, thin soil,
timber Oak, Hickory &c.

East On Rand^m between Sec. 11 & 14, T6 N. R3 E.

40.00 Set temp. q. Sec. post

46.00 a Brook 10 lks. wide Course S.

72.00 a Do 10 lks. " " S.

77.90 Intersected the N & S. 12 lks. N. of post

Land timber &c. same as on the last mile

West On true line between Sec. 11 & 14, T6 N. R3 E.

T6 S. 1 R 3 E. 2^d. Mer. Indiana

39.95 Let q^r. Sec. post at average dist. from which
 a Beech 20 m. dia. brang N 74 E 10 lks. dist. of
 a do 18 " " " S 37 N 17 " "
 79.90 to Sec. Corner.

North Between Sec. 10 & 11, T6 S. 1 R 3 E.

40.00 Let the q^r. Sec. post, from which
 a Hickory 8 m. dia. brang N 69 W 5 lks. dist. of
 a Dogwood 4 " " " S 58 E 5 " "
 80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which
 a P. Oak 12 m. dia. brang N 74 W 7 lks. dist. of
 a Hickory 8 " " " S 32 W 39 " "
 Sand timber etc. same as on the last mile

East On Rand^m betwⁿ Sec. 2 & 11, T6 S. 1 R 3 E.

40.00 Let temp^y. q^r. Sec. post
 69.50 a Creek 20 lks. wide Course S. E.
 74.00 Same 20 " " " N. E.
 79.85 Intersected the N. & S. line 12 lks. N. of post
 Sand very hilly, thin Soil

West On true line between Sec. 2 & 11, T6 S. 1 R 3 E.

39.92 1/2 Let the q^r. Sec. post, at average dist. from which
 a P. Oak 12 m. dia. brang N 74 W 8 lks. dist. of
 a Dogwood 6 " " " N 70 E 11 " "
 79.85 to Sec. Corner

North Between Sec. 2 & 3, T6 S. 1 R 3 E.

1.00 a Brook 18 lks. wide Course W.
 40.00 Let the q^r. Sec. post, from which
 a Gum 12 m. dia. brang N 49 W 11 lks. dist. of
 a P. Oak 12 " " " S 86 E 50 " "
 83.50 Intersected the N. boundary 10 lks. N. of post

Sec. R3 E. 2nd Mer. Indiana

Let a post Cor. to Sec. 2 & 3, from which
 a P. Oak 15 in. dia. bear S 82 E 17 lks. dist. of
 a Dogwood 6 " " " S 22 E 8 " "
 Sand the same as last mile. March 16th 1814

North Between Sec. 33 & 34, T6 N. R3 E.

18.75 at Beech 10 in. dia. bear

40.00 Let the q. Sec. post from which
 a Beech 10 in. dia. bear S 45 W 4 lks. dist. of
 a Beech 8 " " " S 62 W 16 " "

67.00 a Brook 10 lks. wide Course W.

80.00 Let a post Cor. to Sec. 27, 28, 33 & 34, from which
 a Beech 10 in. dia. bear S 63 E 35 lks. dist. of
 a Do 10 " " " N 37 W 24 " "
 Sand level timber Beech, Oak & Poplar

East On Random between Sec. 27 & 34, T6 N. R3 E.

40.00 Let temp. q. Sec. post

79.80 Intersected the N & S line at the post
 Sand timber etc. Same as on the last mile

West On true line between Sec. 27 & 34, T6 N. R3 E.

39.90 Let the q. Sec. post, at average dist. from which
 a P. Oak 12 in. dia. bear S 86 W 30 lks. dist. of
 a Do 4 " " " N 11 E 3 " "

79.80 to Sec. Corner.

North Between Sec. 27 & 28, T6 N. R3 E.

17.60 a Hickory 10 in. dia.

40.00 Let the q. Sec. post, from which
 a W. Oak 18 in. dia. bear S 30 E 28 lks. dist. of
 a P. Oak 8 " " " S 67 W 15 " "

80.00 Let a post Cor. to Sec. 21, 22, 27 & 28, from which

Sec. N 3 E. 2nd Mer. Indiana

a P. Oak 10 in. dia. bears S 10 W 18 lks. dist. of
 a Do 8 " " " N 10 W 10 " "
 This mile over very high hills thin soil
 timber Oak Hickory.

East On Rand^m between Sec. 22 & 27

27.00 a Brook 12 lks. North

40.00 Set the temp^y. q. Sec. post

80.00 Intersected the N. & S. line 12 lks. South of post
 Land the same

West On true line Between Sec. 22 & 27 T 6 N - R 3 E.

40.00 Set q. Sec. post at average dist. from which
 a Beech 10 in. dia. bears N 41 E 30 lks. dist. of
 a Gum 12 " " " S 45 E 28 " "

80.00 to Section Corner

North Between Sec. 21 & 22, T 6 N - R 3 E.

17.50 a Brook 10 N. E.

40.00 Set the q. Sec. post from which
 a Sapapras 9 in. dia. bears S 20 E 17 lks. dist. of
 a B. Oak 8 " " " N 80 E 3 " "

51.00 a Brook 10 lks. N. E.

80.00 Set a Corner to Sec. 15, 16, 21 & 22, from which
 a Beech 12 in. dia. bears N 10 W 14 lks. dist. of
 a Do 18 " " " N 66 W 14 " "
 Land Rolling timber Beech, Oak, Poplar &c.

East On Random Between Sec. 15 & 22 T 6 N - R 3 E.

27.50 a Brook 20 lks. North

40.00 Set the temp^y. q. Sec. post

49.00 a Brook 10 lks. North

80.00 Intersected the N. & S. line 18 lks. South of post

Sec. R 3 E. 2nd Mer. Indiana

271

Land the Same

West On true line Between Sec. 15 & 22, T6 N. R 3 E,
 40 . 10 Set aff. Sec. post at average dist from which
 a Beech 12 in. dia. bears S 41 W 12 lks. dist. &
 a B. Oak 8 " " " S 65 E 22 " "
 80 . 20 to Section Corner

North Between Sec. 15 & 16, T6 N. R 3 E
 19 . 75 a Gum 18 in. dia.
 40 . 00 Set a q. Sec. post from which
 a Beech 12 in. dia. bears S 25 W 24 lks. dist. &
 a Do 15 " " " N 25 E 8 " "
 48 . 00 a Brook 10 lks. West
 53 . 50 a Brook 50 lks N. W
 80 . 00 Set a post Corner to Sec. 15, 16, 9, 10, from which
 a W. Oak 12 in. dia. bears N 10 E 15 lks. dist. &
 a Do 15 " " " S 56 W 8 " "
 Land the Same

East On Random Between Sec. 10 & 15, T6 N. R 3 E,
 22 . 00 a Brook 10 South
 40 . 00 Set the temp. q. Sec. post
 79 . 80 Intersected the N. & S. line 30 lks. South of post
 Land very Hilly thin Soil

West On true line Between Sec. 10 & 15, T6 N. R 3 E,
 39 . 90 Set q. Sec. post at average dist. from which
 a W. Oak 20 in. dia. bears N 4 W 4 lks. dist. &
 79 . 80 to Section Corner

North Between Sec. 9 & 10, T6 N. R. 3 E,
 40 . 00 Set the q. Sec. post from which

Sec. R 3 E. 2. Mer. Indiana

- a Beech 6 in. dia. bears S 5 W 12 lks. dist. 7
 a W. Oak 12 " " " N 72 W 29 " "
 47.00 a Brook 10 lks. W.
 57.50 a W Oak 10 in. dia.
 79.00 a Brook 10 lks. S. W.
 80.00 Set a post Corner to Sec. 3, 4, 9 & 10, from which
 a Sugar 10 in. dia. bears N 65 E 11 lks. dist. 7
 a Do 10 " " " N 6 W 16 " "
 Land the Same
-

- East On Random Between Sec. 3 & 10, S 6 N - R 3 E.
 3.00 a Brook 10 lks. S. W.
 40.00 Set the temp. 7. 1/2 Sec. post
 79.88 Intersected the N. & S. line 12 lks. North of post.
 Land very Hilly
-

- West On true line Between Sec. 3 & 10, S 6 N - R 3 E.
 39.94 Set the q. Sec. post at average dist. from which
 a B. Oak 10 in. dia. bears N 68 E 17 lks. dist.
 a Do 18 " " " S 58 E 27 " "
 79.88 to Sec. Corner
-

- North Between Sec. 3 & 4, S 6 N - R 3 E
 40.00 Set the q. Sec. post from which
 a W. Oak 18 in. dia. bears S 4 E 30 lks. dist. 7
 a B. Oak 12 " " " N 52 E 20 " "
 82.80 Intersected the N. Boundary at the Corner.
 Land very Hilly thin Soil timber Oak & Hickory
 March 17. 1814
-

- North Between Sec. 32 & 33, S 6 N - R 3 E.
 39.00 a Brook 10 lks. S. W.
 40.00 Set the q. Sec. post from which
 a Beech 12 in. dia. bears N 8 E 35 lks. dist.

Sec. NBE. 2nd Mer. Indiana

273

This mile over rolling Land

- 80.00 Set a post Corner to Secs. 28, 29, 32, 33. from which
a Sugar 10 in. dia. bears S 35 E 6 lks. dist. &
a Beech 8 " " S 78 W 10 " "

Land not quite so hilly timber Beech, Poplar, Oak

East Between Secs. 28 & 33. S 6 N - R 3 E. on Random

40.00 Set the temp. y. q. Sec. post

- 80.00 Intersected the N. & S. line 12 lks. South of post.
Land the same

West On true line Between Secs. 28 & 33. S 6 N - R 3 E.

- 40.00 Set the q. Sec. post at average dist. from which
a Poplar 10 in. dia. bears S 86 W 31 lks. dist. &
a Beech 10 " " S 14 W 11 " "

80.00 to Section Corner

North Between Secs. 28 & 29. S 6 N - R 3 E.

40.00 Set the q. Sec. post from which

- a Dogwood 4 in. dia. bears N 25 E 5 lks. dist. &
a Sugar 10 " " S 70 E 2 " "

49.75 a Brook 10 N. E.

- 80.00 Set a post Corner to Secs. 20, 21, 28, 29. from which
a Dogwood 6 in. dia. bears N 11 W 8 lks. dist. &
a B. Oak 20 " " S 11 W 9 " "
Land the same

East On Random Between Secs. 28 & 29. S 6 N - R 3 E.

40.00 Set the temp. y. q. Sec. post

52.00 a Brook 10 lks. North -

69.50 a Do " " North -

- 80.00 Intersected the N. & S. line 12 lks. North of post
Land the same.

T6 N - R3 E, 2^d Mer. Indiana

West On true line Between Sec^s. 21 & 28, T6 N - R. 3 E.
 40.00 Set the g^d. Sec. post at average dist. from which
 a B. Oak 7 in. dia^r. bears N 82 E 19 lks. dist. &
 a Do 6 " " " S 75 E 7 " "
 80.00 to Section Corner

North Between Sec^s. 20 & 21, T6 N - R 3 E,
 34.00 a Brook 10 lks. N. E.
 40.00 Set the g^d. Sec. post from which
 a B. Oak 8 in. dia^r. bears N 50 E 11 lks. dist. &
 a Logwood 7 " " " N 42 W 10 " "
 80.00 Set a post Corner to Sec^s. 16, 17, 20, 21, from which
 a B. Oak 6 in. dia^r. bears N 36 E 7 lks. dist. &
 a Do 12 " " " S 53 E 10 " "
 This mile over Hilly Sand timber Oak & Hickory
 thin Soil

East On Random Between Sec^s. 16 & 21, T6 N - R. 3 E.
 40.00 Set the temp^y. g^d. Sec. post
 41.00 a Brook 10 lks. N. E.
 79.98 Intersected the N. & S. line 18 lks. North of post.
 Sand the Same

West On true line Between Sec^s. 16 & 21, T6 N - R 3 E.
 39.99 Set the g^d. Sec. post at average dist. from which
 a W. Oak 10 in. dia^r. bears N 52 W 7 lks. dist. &
 a Hickory 10 " " " S 52 E 15 " "
 79.98 to Section Corner

North Between Sec^s. 16 & 17, T6. N - R 3. E,
 40.00 Set the g^d. Sec. post, from which
 a Sugar 10 in. dia^r. bears S 58 W 4 lks. dist. &
 a Do 10 " " " S 25 W 11 " "

Sec. 10 3 E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 10 in. dia. bray S 80 E 19 lks. dist. of
a Do 20 " " " N 49 W 36 " "
Land timber &c. Same as on the last mile

East On Ran 8^m between Sec. 9 & 16, Sec. 10 3 E.
30.00 a Creek 100 lks. wide Course NW.
40.00 Set temp. 4. q^r. Sec. post
80.00 Intersected the N & S. line 10 lks. S. of the post
Land timber &c. Same as on the last mile

West On true line between Sec. 9 & 16, Sec. 10 3 E.
40.00 Set the q^r. Sec. post at average dist. from which
a Beech 12 in. dia. bray S 78 E 20 lks. dist. of
a Do 10 " " " N 67 W 31 " "
80.00 to Sec. Corner

North Between Sec. 8 & 9, Sec. 10 3 E.
11.00 a Creek 100 lks. wide Course West
40.00 Set the q^r. Sec. post, from which
a Beech 10 in. dia. bray N 4 E 15 lks. dist. of
a Do 10 " " " N 85 W 15 " "
48.00 a Brook 10 lks. wide Course S. W
59.00 a Do 10 " " " S. W.
80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 10 in. dia. bray North 18 lks. dist. of
a Do 12 " " " S 39 W 20 " "
Land timber &c. Same as on the last mile

East On Random between Sec. 4 & 9, Sec. 10 3 E.
40.00 Set temp. 4. q^r. Sec. post
80.00 Intersected the N & S. line 12 lks. N. of post
Land very hilly, thin Soil.

Sec. 123 E. 2^d. Mer. Indiana

West On true line between Sec. 4 & 9, Sec. 123 E.
 40.00 Let q^r. Sec. post at average dist. from which
 a P. Oak 12 m. dia. bray West 20 lks. dist.
 80.00 to Sec. Corner.

North Between Sec. 4 & 5, Sec. 123 E.
 10.00 a Brook 10 lks. wide Course S. W.
 40.00 Let the q^r. Sec. post, from which
 a P. Oak 8 m. dia. bray S 78 E 10 lks. dist. of
 a Do 4 " " " N 14 E 8 " "
 50.00 a Brook 8 lks. wide Course S. W.
 83.00 Intersected the N. boundary at the Corner.
 Land very hilly timber Oak & Hickory
 March 18th 1814.

North Between Sec. 31 & 32, Sec. 123 E.
 26.15 a Sugar 10 m. dia.
 40.00 Let the q^r. Sec. post, from which
 a Sugar 10 m. dia. bray N 15 E 8 lks. dist. of
 a Beech 20 " " " N 70 W 11 " "
 60.35 a Poplar 36 " "
 80.00 Let a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 10 m. dia. bray N 20 W 15 lks. dist. of
 a Poplar 12 " " " N 62 W 22 " "
 Land rolling, timber Beech, Sugar &c.

East On Rand^d. between Sec. 29 & 32, Sec. 123 E.
 40.00 Let temp^y. q^r. Sec. post.
 50.50 a Brook 10 lks. wide Course S.
 79.92 Intersected the N. & S. line 18 lks. S. of post
 Land timber &c. same as on the last mile

West On true line between Sec. 29 & 32, Sec. 123 E

T6 N. R3 E. T. Mer. Indiana

39.96 Set the q. Sec. post at average dist. from which
 a Beech 7 in. dia. bears S80°W 35 lks. dist. of
 a Do 6 " " " S12°W 2 " "
 79.92 to Sec. Corner.

North Between Sect. 29 & 30, T6 N. R3 E.

36.75 a Gum 20 in. dia.

40.00 Set the q. Sec. post, from which
 a Beech 30 in. dia. bears S40°E 15 lks. dist. of
 a Do 10 " " " N22°W 16 " "

80.00 Set a post Cor. to Sect. 19, 20, 29 & 30, from which
 a Beech 10 in. dia. bears N70°E 5 lks. dist. of
 a Do 18 " " " West 21 " "
 Land level, timber beech, poplar, Oak &c.

East On Random between Sect. 20 & 29, T6 N. R3 E.

40.00 Set the temp. q. Sec. post

80.00 Intersected the N. & S. line 18 lks. South of post
 Land the same but more hilly

West On true line Between Sect. 20 & 29, T6 N. R3 E.

40.00 Set q. Sec. post at average dist. from which
 a Beech 12 in. dia. bears N18°W 22 lks. dist. of
 a Sap. 6 " " " N64°E 22 " "

80.00 to Section Corner

North Between Sect. 20 & 19, T6 N. R3 E.

40.00 Set the q. Sec. post from which
 a Beech 18 in. dia. bears S51°E 30 lks. dist. of
 a B. Oak 20 " " " N51°W 20 " "

80.00 Set a post Corner to Sect. 17, 18, 19, 20, from which
 a B. Oak 18 in. dia. bears East 10 lks. dist. of
 a Do 6 " " " S56°W 21 " "

T6 N R3 E 2nd Mer. Indiana

Land very Hilly thin Soil timber Oak, & Hickory.

East On Random Between Sec. 17 & 20, T6 N R3 E.
 32 . 00 a Brook 10 lks. wide Course North
 40 . 00 Set the temp^y. q^r. Sec. post
 80 . 08 Intersected the N & S. line 12 lks. South of post.
 Land the Same

West On true line Between Sec. 17 & 20, T6 N R3 E.
 40 . 04 Set q^r. Sec. post at average dist. from which
 a B. Oak 10 in. dia. bears N 71 W 13 lks. dist. &
 a Do 14 " " " S 62 E 7 " "
 80 . 08 to Section Corner

North Between Sec. 17 & 18, T6 N R3 E
 5 . 50 a Brook 12 lks. wide Course N. E.
 40 . 00 Set the q^r. Sec. post from which
 a B. Oak 10 in. dia. bears S 1 W 52 lks. dist. &
 a Do 6 " " " N 40 E 23 " "
 64 . 00 a Brook 12 lks. wide Course N. E.
 80 . 00 Set a post Corner to Sec. 7, 8, 17, 18. from which
 a W. Oak 20 in. dia. bears S 52 W 9 lks. dist.
 a Poplar 20 " " " N 35 E 39 " "
 Land Rolling timber Beech & Oak &c.

East On Random Between Sec. 8 & 17, T6 N R3 E,
 15 . 00 a Brook 12 lks. wide Course North.
 40 . 00 Set the temp^y. q^r. Sec. post
 74 . 00 a Brook 10 lks. wide Course N. E.
 80 . 00 Intersected the N & S. line 12 lks. South of post
 Land the Same

West On true line Between Sec. 8 & 17, T6 N R3 E.

279

T6 N R3 E. 2nd Mer. Indiana

40 . 00 Let q^t. Sec. post at average dist. from which
 a W. Oak 36 in. dia. bears S 76 E 27 lks. dist. &
 a Do 20 " " " N 45 E 31 " "
 80 . 00 to Section Corner

North Between Sec. 7 & 8, T6 N. R. E.
 13 . 75 a W. Oak 20 in. dia.
 24 . 00 a Brook 10 lks. wide Course N. E.
 40 . 00 Let the q^t. Sec. post from which
 a Beech 20 in. dia. bears S 80 E 10 lks. dist. &
 a Do 10 " " " S 8 E 30 " "
 67 . 25 a W. Oak 20 " "
 80 . 00 Let a post Corner To Sec. 5, 6, 7, 8, from which
 a Beech 10 in. dia. bears S 54 W. 37 lks. dist. &
 a Do 8 " " " N 40 W 16 " "
 Land the same

East On Random Between Sec. 5 & 6, T6 N. R. 3 E.
 38 . 00 a Brook 100 lks. wide Course N. W.
 40 . 00 Let the temp^y. q^t. Sec. post -
 79 . 80 Intersected the N. & S. line 10 lks. South of post.
 Land level timber Beech poplar Ash &c.

West On true line Between Sec. 5 & 6, T6 N. R. 3 E.
 39 . 90 Let q^t. Sec. post at average dist. from which
 a Beech 24 in. dia. bears East 210 lks. dist.
 79 . 80 to Section Corner

North Between Sec. 5 & 6, T6 N. R. 3 E.
 6 . 00 a Brook 10 lks. wide Course N. E.
 13 . 30 a W. Oak 10 in. dia.
 20 . 00 a Brook 10 lks. wide Course N. E.
 25 . 50 a " 100 " " " N. W.

St. R 3 E. 2^d Mer. Indiana

- 40 .00 Set the g^d. Sec. post from which
a Maple 12 in. dia^t. bears N 80 W 18 lks. dist. &
a Do — " " " N 52 E 10 " "
- 51 .00 a Brook 100 lks. wide Course N. E.
- 54 .75 a Sugar 10 in. dia^t.
- 58 .00 a Brook 100 lks. wide Course E. W.
- 83 .40 ~~Intersected~~ the N. Boundary 150 lks. East of
post, Set a post from which
a Gum 18 in. dia^t. bears S 45 W 8 lks. dist. &
a Maple 12 " " " " S 75 E 45 " "
Land flat & wet, March 19th 1814.

- West Between Sec^s 6 & 7, St. R 3 E,
- 3 .00 a Brook 10 lks. wide Course N. E.
- 13 .50 a B. Oak 10 in. dia^t.
- 30 .50 a Brook 10 lks. wide Course N. E.
- 40 .00 Set g^d. Sec. post from which
a B. Oak 12 in. dia^t. bears S 37 E 25 lks. dist. &
an Aspen 6 " " " " N 18 W 23 " "
- 73 .90 ~~Intersected~~ the West Boundary 139 lks. North
of the post Set a post from which
a B. Oak 8 in. dia^t. bears N 12 W 10 lks. dist. &
a Do 7 " " " " N 64 W 11 " "
This line over very Hilly brushy Land

- West. Between Sec^s 7 & 18, St. R. 3 E
- 40 .00 a W. Oak 20 in. dia^t. for g^d. Sec. Corner
- 74 .12 ~~Intersected~~ the W. Boundary 53 lks. North
of the post Set a post from which
a B. Oak 20 in. dia^t. bears N 50 E 16 lks. dist. &
a Do 10 " " " " S 81 W 9 " "
Land Hilly and Brushy

S6 N. R3 E. 2^d Mer. Indiana

West Between Secs. 18 & 19, S6 N. R3 E.
 8.00 a Brook 10 lks. wide Course N. E.
 40.00 Set the q^r. Sec. post from which
 a Hickory 6 in. dia^t. bears N 75 W 4 lks. dist. &
 a Do 4 " " " S 18 W 12 " "
 74.25 Intersected the W. Boundary 40 lks. North of
 the post Set a post from which
 a Sapafra 10 in. dia^t. bears S 52 W 21 lks. dist. &
 a B. Oak 8 " " " S 4 E 25 " "
 Land very Hilly thin Soil timber Oak, & Hickory

West Between Secs. 19 & 30, S6 N. R. 3 E.
 15.75 a W. Oak 18 in. dia^t.
 40.00 Set the q^r. Sec. post from which
 a B. Oak 20 in. dia^t. bears N 70 E 22 lks. dist. &
 a Beech 10 " " " N 36 E 9 " "
 72.54 a Beech 10 " " on the West Boundary 50 lks.
 North of post, for cor. to Secs. 19 & 30, S6 N. R3 E.
 Land rich and Rolling timber Beech, Ash,
 Poplar, Sugar &c.

West Between Secs. 30 & 31, S6 N. R. 3 E.
 40.00 Set the q^r. Sec. post from which
 a Beech 6 in. dia^t. bears N 88 W 17 lks. dist. &
 a Do - " " " N 85 E 37 " "
 72.60 Intersected the West Boundary 30 lks. North of
 post Set a post Corner to Secs. 30 & 31, from which
 a Beech 12 in. dia^t. bears S 17 W 19 lks. dist. &
 a Do 24 " " " N 17 E 21 " "
 Land timber &c. Same as on the last mile
 March 20th 1814
 Surveyed by Arthur Hennie, Dep. Sur.

I Certify that the foregoing transcript of field notes of
Township N. 6 N. Range N. 3 E. 2^d Mer. Indiana, has
been Comp. with the original notes in this office and
found to be Correct.

Surveyor General's Office
Cincinnati, April 27th 1848

E. S. Cairns
Sur. Genl.